

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Zewo Power Cleaner ZI-17
Registration number (REACH)	not relevant (mixture)
Product code(s)	95817

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	cleaning agent industrial uses professional uses
Uses advised against	Do not use for squirting or spraying in its concentrated form. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Zewo Chemicals A.S.
Eggesbøven 22
6092 Fosnavag
Norway
Tel: +47 70 08 12 50
E-mail: post@zewo.no
Web: www.zewo.no

1.4 Emergency telephone number

Emergency information service for emergency responders
This number is only for medical emergencies.

Poison centre		
Country	Name	Telephone
Norway	Giftinformasjonen	22 59 13 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling

Sodium hydroxide, 2-aminoethanol, Isotridecanol, ethoxylated (≥ 2.5 EO), Alcohols, C12-14, ethoxylated, sulfates, sodium salts

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
2-(2-butoxyethoxy)ethanol	CAS No 112-34-5 EC No 203-961-6 Index No 603-096-00-8 REACH Reg. No 01-2119475104-44-xxxx	1 - < 5	Eye Irrit. 2 / H319		GHS-HC IOELV







Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium hydroxide	CAS No 1310-73-2 EC No 215-185-5 Index No 011-002-00-6 REACH Reg. No 01-2119457892- 27-xxxx	1 - < 5	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318		GHS-HC
2-aminoethanol	CAS No 141-43-5 EC No 205-483-3 Index No 603-030-00-8 REACH Reg. No 01-2119486455- 28-XXXX	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Chronic 3 / H412	 	IOELV
Isotridecanol, ethoxylated (>=2.5 EO)	CAS No 69011-36-5 EC No 931-138-8	1 - < 5	Acute Tox. 4 / H302 Eye Dam. 1 / H318	 	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No 68891-38-3 EC No 500-234-8 REACH Reg. No 01-2119488639- 16-XXXX	1 - < 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Sodium hydroxide	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	-	-	
2-aminoethanol	STOT SE 3; H335: C ≥ 5 %	-	1,089 mg/kg 2,504 mg/kg 11 mg/l/4h	oral dermal inhalation: vapour
Isotridecanol, ethoxylated (>=2.5 EO)	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-	555.6 mg/kg	oral
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	-	-	

Remarks

For full text of H-phrases: see SECTION 16.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product. This will result in an uncontrolled acid base reaction. When dilution is required, always add the product cautiously to water following all relevant safety measures to ensure a safe and controlled acid base reaction.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect from sunlight.

Protect against external exposure, such as

frost

- Packaging compatibilities

Keep only in original container. Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

Cleaning agent. Industrial uses. Professional uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Source
EU	2-(2-butoxyethoxy)ethanol	112-34-5		IOEL V	10	67.5	15	101.2			2006/15/EC
EU	2-aminoethanol	141-43-5	H	IOEL V	1	2.5	3	7.6			2006/15/EC
NO	2-(2-butoxyethoxy)ethanol	112-34-5		GV	10	68					For-skrift, best.n r. 704
NO	sodium hydroxide	1310-73-2		GV						2	For-skrift, best.n r. 704
NO	2-aminoethanol	141-43-5	H	GV	1	2.5					For-skrift, best.n r. 704

Notation

Ceiling-C

H

STEL

TWA

ceiling value is a limit value above which exposure should not occur

absorbed through the skin

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-(2-butoxyethoxy)ethanol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-(2-butoxyethoxy)ethanol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
2-(2-butoxyethoxy)ethanol	112-34-5	DNEL	101.2 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
2-(2-butoxyethoxy)ethanol	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
2-aminoethanol	141-43-5	DNEL	3.3 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
2-aminoethanol	141-43-5	DNEL	1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DNEL	175 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DNEL	2,750 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	1.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	0.11 mg/l	aquatic organisms	marine water	short-term (single instance)
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	200 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	4.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	0.44 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2-(2-butoxyethoxy)ethanol	112-34-5	PNEC	0.32 mg/kg	terrestrial organisms	soil	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	0.085 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	0.009 mg/l	aquatic organisms	marine water	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	0.434 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	0.043 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2-aminoethanol	141-43-5	PNEC	0.037 mg/kg	terrestrial organisms	soil	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.074 mg/l	aquatic organisms	freshwater	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.007 mg/l	aquatic organisms	marine water	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.015 mg/l	aquatic organisms	water	intermittent release
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	1.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.604 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.06 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	PNEC	0.1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.24 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.024 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	10 g/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.917 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.092 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	7.5 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Wear face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness

> 0.35 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	not determined

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	91 °C at 101.3 kPa
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
pH (value)	13.5 (20 °C) (base)
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	2.339 kPa at 20 °C (calculated value, referring to a component of the mixture)
-----------------	--

Density and/or relative density

Density	1.035 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics

Miscibility	Completely miscible with water.
VOC content	3.691 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Acids, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-aminoethanol	141-43-5	oral	1,089 mg/kg
2-aminoethanol	141-43-5	dermal	2,504 mg/kg
2-aminoethanol	141-43-5	inhalation: vapour	11 mg/l/4h
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	555.6 mg/kg

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-(2-butoxyethoxy)ethanol	112-34-5	oral	LD50	2,410 mg/kg	mouse
2-(2-butoxyethoxy)ethanol	112-34-5	dermal	LD50	2,764 mg/kg	rabbit
Sodium hydroxide	1310-73-2	oral	LD50	325 mg/kg	rabbit
2-aminoethanol	141-43-5	oral	LD50	1,089 mg/kg	rat
2-aminoethanol	141-43-5	dermal	LD50	2,504 mg/kg	rabbit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	oral	LD50	>2,000 mg/kg	rat
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	oral	LD50	4,100 mg/kg	rat
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	dermal	LD50	2,000 mg/kg	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-(2-butoxyethoxy)ethanol	112-34-5	LC50	1,300 mg/l	fish	96 h
2-(2-butoxyethoxy)ethanol	112-34-5	EC50	>100 mg/l	aquatic invertebrates	48 h
2-(2-butoxyethoxy)ethanol	112-34-5	ErC50	>100 mg/l	algae	96 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydroxide	1310-73-2	LC50	<180 mg/l	fish	96 h
Sodium hydroxide	1310-73-2	EC50	40.4 mg/l	aquatic invertebrates	48 h
2-aminoethanol	141-43-5	LC50	349 mg/l	fish	96 h
2-aminoethanol	141-43-5	EC50	65 mg/l	aquatic invertebrates	48 h
2-aminoethanol	141-43-5	ErC50	2.8 mg/l	algae	72 h
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	LC50	7.1 mg/l	fish	96 h
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	EC50	7.2 mg/l	aquatic invertebrates	48 h
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	ErC50	27 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydroxide	1310-73-2	EC50	22 mg/l	microorganisms	15 min
2-aminoethanol	141-43-5	EC50	2.5 mg/l	aquatic invertebrates	21 d
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	EC50	0.37 mg/l	aquatic invertebrates	21 d
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	LC50	0.74 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	EC No	Process	Degradation rate	Time	Method	Source
2-(2-but-oxoethoxy)ethanol	112-34-5	203-961-6	oxygen depletion	85 %	28 d		ECHA
2-aminoethanol	141-43-5	205-483-3	DOC removal	>90 %	21 d		ECHA
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	931-138-8	DOC removal	82 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-(2-butoxyethoxy)ethanol	112-34-5		1 (pH value: 7, 20 °C)	
2-aminoethanol	141-43-5	2.3	-2.3 (25 °C)	
Isotridecanol, ethoxylated (>=2.5 EO)	69011-36-5	232.5		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3		0.3 (pH value: 6.1, 23 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 3267
IMDG-Code	UN 3267
ICAO-TI	UN 3267

14.2 UN proper shipping name

ADR/RID	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, basic, organic, n.o.s.
Technical name (hazardous ingredients)	2-aminoethanol, Sodium hydroxide

14.3 Transport hazard class(es)

ADR/RID	8
---------	---

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

IMDG-Code	8
ICAO-TI	8
14.4 Packing group	
ADR/RID	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	C7
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code	C7
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -
Danger label(s) 8



Special provisions (SP) 223, 274
Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-B
Stowage category A
Segregation group 18 - Alkalis

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP) A3
Excepted quantities (EQ) E1
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

None of the ingredients are listed.

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Zewo Power Cleaner ZI-17	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
2-aminoethanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
2-aminoethanol	substances in tattoo inks and permanent make-up		R75	75
Sodium hydroxide	substances in tattoo inks and permanent make-up		R75	75
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	substances in tattoo inks and permanent make-up		R75	75

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Isotridecanol, ethoxylated (>=2.5 EO)	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Isotridecanol, ethoxylated (>=2.5 EO)	substances in tattoo inks and permanent make-up		R75	75
2-(2-butoxyethoxy)ethanol	2-(2-butoxyethoxy)ethanol (DEGEBE)	112-34-5	R55	55
2-(2-butoxyethoxy)ethanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
2-(2-butoxyethoxy)ethanol	substances in tattoo inks and permanent make-up		R75	75

Legend

R3

1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

R55

1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
2. Spray paints and spray cleaners in aerosol dispensers containing DEGEBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGEBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows: 'Do not use in paint spraying equipment'.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Deco-Paint Directive

VOC content	6.013 %
-------------	---------

Industrial Emissions Directive (IED)

VOC content	3.691 %
-------------	---------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Sodium hydroxide		a)	

Legend

a) Indicative list of the main pollutants

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
phosphonates anionic surfactants non-ionic surfactants	less than 5 %

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Norwegian product register

Declaration number 667302

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Forskrift, best.nr. 704	Forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smittesikogrupper for biologiske faktorer
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GV	Workplace exposure limit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SCBA	Self-contained breathing apparatus
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Zewo Power Cleaner ZI-17

Version number: GHS 1.0

Date of compilation: 06.06.2024

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.